


sunplast

PIPES



Price List Guide

With effect from 1st January 2019



9001:2015

ISO No: CA1812202
ISO9001:2015 company



SUNPLAST UPVC BOREWELL COLUMN PIPES FOR SUBMERSIBLE PUMPS


- Square Threads - for superior grip
- Pump guard - for extra safety
- 'O' Ring & multiple washers leak proof joints

-  A perfect fit between pipe & coupler



SUNPLAST WATER TANKS

- Advanced 3 layers blow mould technology.
- Non toxic food grade material.
- 10 Years Warranty.
- Uniform wall thickness structure ensures maximum strength and Durability.
- Air tight threaded lid ensures the tank is free from dust and files.
- Plumber friendly multi outlet option along with inlet and overflow Configurations.
- UV Stabilized outer layer ensures higher temperature insulation and minimize the heating of water by sun rays.
- The high quality carbon black coloured middle layer prevents the sun rays from entering the water and prevents bacterial growth.
- Antimicrobial inner white layer ensures the quality of water.
- Protection against various germs like bacteria, molds, etc.,
- Reduced odour formation



SUNPLAST PVC ELECTRICAL CONDUIT PIPES

- Available in ivory and grey color.
- Robust strength for concealed concrete installations
- Ideal for exposed wall installations.
- Light weight, easy handling and maintenance.
- Quick to install solvent cement based jointing system.



SUNPLAST CPVC PLUMBING SYSTEMS FOR HOT AND COLD WATER

- ISI 15778 quality standards
- Hot water performance from up to 93°C.
- Perfecting fitting for fast & easy installation.
- Lowest bacterial growth safe for drinking water.
- Fire resistant compound.
- UV resistant against sun light.
- Corrosion resistant.



SUNPLAST UPVC PLUMBING SYSTEM FOR COLD WATER PLUMBING

- Lead-free material safeguards drinking water.
- Low bacterial growth free from toxic odours and tastes.
- Corrosion resistance guarantees constant flow for lifetime.
- Strong and light weight.
- UV and Fire resistance
- High impact resistance.
- Perfecting fitting for fast & easy installation.
- Low maintenance & cost effective.



SUNPLAST PVC PIPES PRESSURE & NON PRESSURE PLUMBING SYSTEMS

- Light weight, easy handling and maintenance.
- Quick to install, solvent cement based jointing system.
- Corrosion resistance -provides constant flow compared to G.I. pipes & fittings which are prone to rusting and clogging.
- Long life.
- Cost-effective plumbing solution.

sunplast
PIPES



**SUNPLAST CPVC
PLUMBING SYSTEMS
FOR HOT AND COLD WATER**

Sunplast CPVC pipes & fittings

Standards:
Pipes : IS 15778 (SDR 11 & 13.5)
Fittings : ASTM D 2846 (SDR 11)



ISI 15778
quality standards



hot water
performance
from up to 93°C.



Fire Retardant



Lowest
bacterial growth



UV resistant



Corrosion
resistant



fast & easy
installation

CPVC Pipes SDR 11 (Class 1)



ISI - 15778

SIZES INCHES	MM	MRP Rs		STANDARD PACKAGE
		3 Mts	5 Mts	
3/4 inch	20	332	554	50 Len
1 inch	25	520	866	25 Len
1 1/4 inch	32	822	1370	15 Len
1 1/2 inch	40	1140	1900	10 Len

PRODUCT	MRP Rs	QTY COVER	COVER/ BOX	BOX QTY
ELBOW - 3/4"	13.80	50	4	200
ELBOW - 1"	30.00	50	2	100



COUPLER - 3/4"	12.00	50	6	300
COUPLER - 1"	20.00	55	3	150



FTA - 3/4"	24.00	50	4	200
FTA - 1"	36.00	25	4	100



TANK NIPPLE - 3/4"	48.00	10	12	120
TANK NIPPLE - 1"	70.00	10	3	30



REDUCER - 1" x 3/4"	22.00	50	4	200
---------------------	-------	----	---	-----



STEP OVERBEND - 3/4"	64.22	10	5	50
----------------------	-------	----	---	----



END CAP-3/4"	10.00	50	8	400
END CAP-1"	16.00	25	8	200



CPVC Pipes SDR 13.5 (Class 2)



ISI - 15778

SIZES INCHES	MM	MRP Rs		STANDARD PACKAGE
		3 Mts	5 Mts	
3/4 inch	20	286	470	50 Len
1 inch	25	462	770	25 Len
1 1/4 inch	32	644	1140	15 Len
1 1/2 inch	40	972	1620	10 Len

PRODUCT	MRP Rs	QTY COVER	COVER/ BOX	BOX QTY
TEE - 3/4"	22.00	50	3	150
TEE - 1"	38.00	25	3	75



MTA - 3/4"	16.00	50	6	300
MTA - 1"	22.00	50	3	150



UNION - 3/4"	66.00	10	15	150
UNION - 1"	96.00	10	5	50



45° ELBOW - 3/4"	18.00	50	4	200
45° ELBOW - 1"	34.00	50	2	100



REDUCER BUSHING- 1" x 3/4"	8.42	25	10	250
----------------------------	------	----	----	-----



REDUCER ELBOW- 1" x 3/4"	22.20	25	4	100
--------------------------	-------	----	---	-----



REDUCER TEE- 1" x 3/4"	28.92	25	3	75
------------------------	-------	----	---	----



MRP price inclusive of GST

Sunplast CPVC pipes & fittings

Standards:
Pipes : IS 15778 (SDR 11 & 13.5)
Fittings : ASTM D 2846 (SDR 11)



PRODUCT	MRP Rs	QTY COVER	COVER/ BOX	BOX QTY
BRASS FTA - 3/4" x 3/4"	174.00	10	10	100
BRASS FTA - 3/4" x 1/2"	66.00	10	10	100
BRASS FTA - 1" x 1/2"	84.00	10	9	90
BRASS FTA - 1" x 1"	400.24	5	10	50
BRASS FTA - 1" x 3/4"	90.90	10	8	80



BRASS TEE - 3/4" x 3/4" x 1/2"	66.00	10	5	50
BRASS TEE - 1" x 1" x 1/2"	110.00	10	4	40
BRASS TEE - 1" x 1" x 3/4"	152.00	10	4	40
BRASS TEE - 3/4" x 3/4"	106.06	10	5	50



BRASS ELBOW - 3/4" x 1/2"	60.00	25	4	100
BRASS ELBOW - 1" x 1/2"	88.00	10	6	60
BRASS ELBOW - 1" x 3/4"	140.00	10	5	50
BRASS ELBOW - 3/4" x 3/4"	86.00	25	3	75



BRASS MTA - 3/4" x 3/4"	172.00	10	10	100
BRASS MTA - 3/4" x 1/2"	100.00	10	10	100
BRASS MTA - 1" x 3/4"	132.36	10	9	90
BRASS MTA - 1" x 1"	316.52	5	10	50

Sunplast CPVC solvent cement



SIZE	MRP Rs	STD. PACKING
25ML (TUBE)	60	25 X 1 BOX
60ML (TIN)	120	16 X 1 BOX
120ML (TIN)	200	12 X 1 BOX
250ML (TIN)	350	8 X 1 BOX
500ML (TIN)	575	4 X 1 BOX
1LTR (TIN)	980	1 X 1 BOX

sunplast
PIPES



**SUNPLAST UPVC
PLUMBING SYSTEM**
FOR COLD WATER PLUMBING

Sunplast UPVC pipes

Standards:
Pipes - Schedule 40 & 80 -As per ASTM D- 1785 (Plain Ended)
Fittings -Schedule 80 as per ASTM D - 2467



Lead-free material



Lowest bacterial growth



Corrosion resistant



High impact resistance.



Low maintenance & cost effective



UV resistant



Strong and light weight



fast & easy installation



SIZE		SCH	STD. PACKING	MRP Rs 6 Mts
MM	Inches			
20	3/4"	SCH 40	25 Len	460
25	1"	SCH 40	15 Len	720
32	1 1/4"	SCH 40	10 Len	960
40	1 1/2"	SCH 40	10 Len	1180
50	2"	SCH 40	5 Len	1560

Sunplast UPVC solvent cement



SIZE	MRP Rs	STD. PACKING
25ML (TUBE)	45	25 X 1 BOX
60ML (TIN)	95	16 X 1 BOX
120ML (TIN)	160	12 X1 BOX
250ML (TIN)	250	8 X 1 BOX
500ML (TIN)	440	4 X 1 BOX
1LTR (TIN)	820	1 X 1 BOX



SUNPLAST PVC PIPES
PRESSURE & NON PRESSURE
PLUMBING SYSTEMS

Sunplast ISI PVC pipes



light weight and
Easy handling



Solvent cement
based joining



Corrosion
resistant



Long life



Cost effective



100% Virgin
raw material



ISI - 4985

SIZE	MRP Rs / 6 Mts			
	4 Kgs	6 Kgs	10 Kgs	15 Kgs
20 MM(1/2")			91	176
25 MM(3/4")			130	234
32 MM(1")			195	364
40 MM(1 1/4")		208		455
50 MM(1 1/2")		325		585
63 MM(2")	351	494		
75 MM(2 1/2")	494	715		
90 MM(3")	650	845		
110 MM(4")	1014	1365		
140 MM(5")	1560	2418		
160 MM(6")	1950	3120		
180 MM(7")	2990	3991		
200 MM(8")	3315	5044		
225 MM(9")	4550	6201		
250 MM(10")	5200	7449		

Sunplast solvent cement



SIZE	STD. PACKING	MRP Rs
60 ML	16 X 1 BOX	70
120 ML	12 X1 BOX	110
200 ML	8 X 1 BOX	150
500 ML	4 X 1 BOX	340
1 LTR	1 X 1 BOX	490

Sunplast super PVC pipes



light weight and
Easy handling



Solvent cement
based joining



Corrosion
resistant



Long life



Cost effective



100% Virgin
raw material



SIZE	MRP Rs / 6 Mts			
	4 Kgs	6 Kgs	10 Kgs	15 Kgs
20 MM(1/2")				120
25 MM(3/4")			102	184
32 MM(1")			142	286
40 MM(1 1/4")		163		367
50 MM(1 1/2")		249		469
63 MM(2")	286	357		
75 MM(2 1/2")	387	459		
90 MM(3")	510	663		
110 MM(4")	714	969		
140 MM(5")	1224	1530		
160 MM(6")	1530	2040		
180 MM(7")	2346	2856		
200 MM(8")	2550	3570		

Sunplast PVC electrical conduit pipe

Available in
ivory & grey colour



SIZE	MRP Rate / Length			MRP Rate / Piece PVC bend
	SILVER BLUE 1.2MM	GOLD GREEN 1.5MM	PLATINUM RED 2.0MM	
19 MM(3/4")	35	44	50	19X2MM-Rs.4.50/-
20 MM (3/4")	35	44	50	
25 MM(1")	52	62	75	25X2MM-Rs.6/-

MRP price inclusive of GST



Wire lock
for extra safety

sunplast
PIPES



**SUNPLAST UPVC
BOREWELL COLUMN PIPES
FOR SUBMERSIBLE PUMPS**

Sunplast UPVC column pipes



Square Threads
for superior grip



Pump Guard -
for extra safety



'O' Ring & Multiple
washer leak
proof joints



A perfect fit
between pipe
& coupler



SIZE	CLASS	PRESSURE / KG	FEET	STD PACK	COLOUR	MRP Rs
1"	V4 12.5	12.50 KG	410 FT	20 LEN	ORANGE	310.00
1"	V4 15	15.00 KG	500 FT	20 LEN	PURPLE	396.00
1 1/4"	V4 12.5	12.50 KG	410 FT	20 LEN	ORANGE	490.00
1 1/4"	V4 18	15.00 KG	500 FT	20 LEN	PURPLE	650.00
1 1/2"	V4 12.5	12.50 KG	410 FT	20 LEN	ORANGE	700.00
1 1/2"	V4 15	15.00 KG	500 FT	20 LEN	PURPLE	770.00
1"	CRYSTAL	21.00 KG	690 FT	20 LEN	GREEN	480.00
1"	STD	30.00 KG	990 FT	20 LEN	RED	630.00
1 1/4"	CRYSTAL	21.00 KG	690 FT	20 LEN	GREEN	750.00
1 1/4"	STD	25.00 KG	820 FT	20 LEN	RED	854.00
1 1/4"	HEAVY	35.00 KG	1160 FT	15 LEN	BLUE	990.00
1 1/4"	SUPER HEAVY	45.00 KG	1480 FT	15 LEN	BLACK	1225.00
1 1/2"	CRYSTAL	21.00 KG	690 FT	20 LEN	GREEN	840.00
1 1/2"	STD	26.00 KG	860 FT	20 LEN	RED	1000.00
1 1/2"	HEAVY	35.00 KG	1150 FT	15 LEN	BLUE	1280.00
1 1/2"	SUPER HEAVY	40.00 KG	1320 FT	15 LEN	BLACK	1480.00
2"	CRYSTAL	17.00 KG	560 FT	15 LEN	GREEN	1155.00
2"	STD	20.00 KG	660 FT	15 LEN	RED	1360.00
2"	HEAVY	27.00 KG	890 FT	10 LEN	BLUE	1700.00
2"	SUPER HEAVY	35.00 KG	1150 FT	10 LEN	BLACK	1925.00

3 LAYERS



SUNPLAST
WATER TANKS

Sunplast Water tanks



Advanced
3 layers



Non toxic
food grade
material



10 years
warranty



Uniform wall
thickness



Air tight
double lids



Lifting hooks



UV Stabilized
outer layer



Carbon black
middle layer
prevents sun rays



Antimicrobial
inner white layer



Protection
against germs



Plumber friendly
multiple Inlets & Outlets



PRODUCT	MRP Rate / Liter			
	500 to 1000 Ltr	1500 to 2000 Ltr	3000 Ltr	5000 Ltr
SUNPLAST 3 LAYERS BLACK	4.25			
SUNPLAST 3 LAYERS BLUE	4.42			
SUNPLAST 3 LAYERS (WHITE, YELLOW)	5.50			
SUNPLAST TUFF HEAVY 3- LAYERS BLACK	4.65	4.75	5.44	6.80
SUNPLAST TUFF HEAVY 3- LAYERS BLUE	4.95	5.05	5.61	7.00
SUNPLAST TUFF HEAVY 3- LAYERS YELLOW/WHITE	6.00	6.40	6.90	8.90

Sunplast Water drums



PRODUCT	MRP Rs
50 LTRS	380.00
80 LTRS	430.00
120 LTRS	590.00
250 LTRS	840.00
300 LTRS	900.00
375 LTRS	1350.00



Proudly made in india.



9001:2015



For enquiries contact:

Chennai: 9894605299

Salem: 9894605211.

www.sunplastpipes.com

Corporate Office

7,kondi chetty street,
Parrys,Chennai-600001.
Tamil Nadu.
044-25393257

Branch Office

74,chittu koil street,
Salem-636001.
Tamil nadu.
0427-2266419

pipes@sunplastpipes.com